



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/823,298	04/12/2004	Liping Ren	IR-2390 (2-3	4746
2352	7590	06/29/2006	EXAMINER	
OSTROLENK FABER GERB & SOFFEN 1180 AVENUE OF THE AMERICAS NEW YORK, NY 100368403			PIZARRO CRESPO, MARCOS D	
			ART UNIT	PAPER NUMBER
			2814	
DATE MAILED: 06/29/2006				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/823,298

Applicant(s)

REN, LIPING

Examiner

Marcos D. Pizarro-Crespo

Art Unit

2814

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 May 2006.
- 2a) ☒ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9, 11, 13, 14, 16, 20-23, 25 and 27-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9, 11, 13, 14, 16, 20-23, 25, 27-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

Attorney's Docket Number: IR-2390 (2-3965)
Filing Date: 4/12/2004
Claimed Priority Date: 4/11/2003 (Provisional 60/462,562)
Applicant(s): Ren
Examiner: Marcos D. Pizarro-Crespo

DETAILED ACTION

This Office action responds to the amendment filed on 5/10/2006.

Acknowledgment

1. The amendment filed on 5/10/2006, responding to the Office action mailed on 2/7/2006, has been entered. The present Office action is made with all the suggested amendments being fully considered. Accordingly, pending in this Office action are claims 1-9, 11, 13, 14, 16, 20-23, 25, and 27-29.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 25, 28, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fujishima (US 6740952) in view of Rumennik (US 6639277).

4. Regarding claim 25, Fujishima shows (see, e.g., figs. 15 and 19) most aspects of the instant invention including a field plate structure comprising:

- ✓ A first field plate **9**
- ✓ A second field plate **FP1** disposed above and spaced from the first field plate
- ✓ A third field plate **FP2** disposed above and spaced from the second field plate
- ✓ a resurf region **20** over which the field plate structure is disposed.

Wherein:

- ✓ the first plate **9** includes a first portion (see, e.g., fig. 19)
- ✓ the second plate **FP1** includes (see, e.g., fig. 19):
 - a first portion
 - a second portion
 - a second gap separating the portions
- ✓ the third plate **FP2** includes (see, e.g., fig. 19):
 - a first portion
 - a second portion
 - a third gap **Wg** separating the portions
- ✓ the second gap is wider than the third gap **Wg** (see, e.g., fig. 19)

Fujishima, however, fails to show the first plate including a second portion spaced from the first portion of the first plate by a first gap wider than the second gap. Rumennik (see, e.g., figs. 1 and 2), on the other hand, shows a first plate similar to Fujishima including a first portion **12** spaced from a second portion **26** by a gap wider than the gap separating portions **10,11** of a second plate above the first plate. He further teaches that the second portion **26** would function to increase the breakdown voltage of Fujishima (see, e.g., Rumennik/col.4/ll.45).

It would have been obvious at the time of the invention to one of ordinary skill in the art to include the second portion suggested by Rumennik in the first plate of Fujishima to reduce the field concentration at the boundary between the drain region and the drift region.

5. Regarding claim 28, Fujishima shows (see, *e.g.*, fig. 19):

- ✓ The first portion of the second plate **FP1** is electrically connected to the first plate **9**
- ✓ The second portion of the second plate **FP1** is electrically connected to the second portion of the third plate **FP2**

6. Regarding claim 29, Fujishima shows (see, *e.g.*, fig. 19):

- ✓ The first plate is insulated from the second plate **FP1** by an insulation layer **10**
- ✓ The second plate **FP1** is insulated from the third plate **FP2** by another insulation layer **25**

7. Claims 1-9, 11, 13, and 20-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fujishima in view of Rumennik, Van Zant and Ghandhi.

8. Regarding claim 1, Fujishima shows (see, *e.g.*, figs. 15 and 19) most aspects of the instant invention including a semiconductor device comprising:

- ✓ A semiconductor substrate **1** of a first conductivity type
- ✓ A semiconductor layer of a second conductivity type formed over the substrate **1**
- ✓ A body region **2** of the first conductivity formed in the semiconductor layer
- ✓ An invertible channel in the body region **2**

- ✓ A source region **3** of the second conductivity type formed in the body region **2** and adjacent to the channel
- ✓ A gate structure formed over the channel region including:
 - a gate electrode **9**
 - a gate insulation layer **7** spacing the gate electrode **9** from the channel
- ✓ A drain region **6** formed in the semiconductor layer
- ✓ A drift region **5** in the semiconductor layer spacing the body region **2** from the drain region **6**
- ✓ A resurf region **20** of the first conductivity formed in the semiconductor layer of the second conductivity type, said resurf region **20** being formed over at least a portion of the drift region **5**
- ✓ A field plate structure disposed over the drift region **5** including:
 - a first insulation layer **8** of a first thickness
 - a second insulation layer **10** of a second thickness formed over the first insulation layer **8**
 - a third insulation layer **25** of a third thickness
 - a first plate **9** disposed over the first insulation layer **8**
 - a second plate **FP1** disposed over the second insulation layer **8**
 - a third plate **FP2** spaced from the second plate **FP1** by the third insulation layer **25**

Wherein:

- ✓ the first plate **9** includes a first portion (see, e.g., fig. 19)

- ✓ the second plate **FP1** includes (see, e.g., fig. 19):
 - a first portion
 - a second portion
 - a second gap separating the portions
- ✓ the third plate **FP2** includes (see, e.g., fig. 19):
 - a first portion
 - a second portion
 - a third gap **Wg** separating the portions
- ✓ the second gap is wider than the third gap **Wg** (see, e.g., fig. 19)

Fujishima, however, fails to show the first plate including a second portion spaced from the first portion of the first plate by a first gap wider than the second gap. Rumennik (see, e.g., figs. 1 and 2), on the other hand, shows a first plate similar to Fujishima including a first portion **12** spaced from a second portion **26** by a gap wider than the gap separating the portions **10,11** of a second plate above the first plate. He further teaches that the second portion **26** would function to increase the breakdown voltage of Fujishima (see, e.g., Rumennik/col.4/ll.45).

It would have been obvious at the time of the invention to one of ordinary skill in the art to include the second portion suggested by Rumennik in the first plate of Fujishima to reduce the field concentration at the boundary between the drain region and the drift region.

Fujishima also fails to show the semiconductor layer is epitaxially formed. Rumennik shows that the semiconductor layer is epitaxially formed (see, e.g.,

col.7/II.21). Van Zant (see, e.g., pp.382), on the other hand, teaches that epitaxially forming Fujishima's semiconductor layer would allow to accurately controlling the doping concentrations of the layer. Ghandhi (see, e.g., pp.258) teaches that epitaxially forming Fujishima's semiconductor layer on the substrate would eliminate the problems of compatibility or mismatch between the layer and the substrate.

It would have been obvious at the time of the invention to one of ordinary skill in the art to epitaxially form Fujishima's semiconductor layer, as suggested by Van Zant and Ghandhi, to eliminate the problems of compatibility between the layer and the substrate and to accurately control the doping concentrations of the layer.

9. Regarding claims 2, 4, and 6, Fujishima shows the first **8**, second **10** and third **25** insulation layers comprising an oxide (see, e.g., fig. 19)

10. Regarding claim 3, Fujishima shows the first thickness is 0.6 microns (see, e.g., col.36/II.20) but fails to specify the claimed thickness of 0.4 microns. However, differences in thickness will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such thickness is critical. "Where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the workable ranges by routine experimentation". *In re Aller*, 220 F.2d 454,456,105 USPQ 233, 235 (CCPA 1955).

Fujishima also teaches that the first thickness, as well as the other thickness of the different insulation layers, affects the performance and the area of the device (see, e.g., col.37/II.15-29, col.8/II.36-40, and col.39/II.17-31). Therefore, it is necessary to ensure that the insulation layers are of an appropriate thickness (see, e.g.,

Fujishima/col.35/ll.60-62). The specific claimed first thickness, *i.e.*, 0.4 microns, absent any criticality, is only considered to be the “optimum” thickness disclosed by Fujishima that a person having ordinary skill in the art would have been able to determine using routine experimentation based, among other things, on the desired device performance, manufacturing costs, etc. (see Boesch, 205 USPQ 215 (CCPA 1980)), and since neither non-obvious nor unexpected results, *i.e.*, results which are different in kind and not in degree from the results of the prior art, will be obtained as long as the first thickness provides for a stable performance of the device, as already suggested by Fujishima.

Since the applicant has not established the criticality (see next paragraph) of the claimed thickness of 0.4 microns, it would have been obvious to one of ordinary skill in the art to use these values in the device of Fujishima.

CRITICALITY

11. The specification contains no disclosure of either the critical nature of the claimed thickness or any unexpected results arising therefrom. Where patentability is said to be based upon particular chosen dimensions or upon another variable recited in a claim, the applicant must show that the chosen dimensions are critical. *In re Woodruff*, 919 F.2d 1575, 1578, 16 USPQ2d 1934, 1936 (Fed. Cir. 1990).

12. Regarding claim 5, Fujishima shows the second thickness is 1.3 microns (see, *e.g.*, col.39/ll.5).

13. Regarding claim 7, Fujishima shows the third thickness is 2.5 microns (see, *e.g.*, col.39/ll.7) instead of the claimed thickness of 1.4 microns. See also the comments stated above in paragraphs 10 and 11 with respect to the differences between the claimed thickness and that of the prior art, which are considered repeated here.

14. Regarding claim 8, Fujishima shows the first field plate 9 extending from the gate electrode (see, *e.g.*, fig. 19)

15. Regarding claim 9, Fujishima shows that the first field plate **9** comprises gate electrode material (see, *e.g.*, col.39/ll.9-10). Van Zant (see, *e.g.*, pp. 511), on the other hand, teaches that doped polysilicon is the standard gate electrode material for Fujishima's device.

16. Regarding claim 11, Fujishima shows that the gap between the portions of the second field plate **FP1** is 45 microns (see, *e.g.*, col.37/ll.29-34 and col.39/ll.13-16).

17. Regarding claim 13, Fujishima shows the third field plate **FP2** comprising a first portion and a second portion (see, *e.g.*, fig. 19), wherein a gap of 25 microns separates the portions (see, *e.g.*, col.37/ll.32).

18. Regarding claim 20, Fujishima shows the first portion of the first plate **9** terminating below the first portion of the second plate **FP1** (see, *e.g.*, fig. 19).

19. Regarding claim 21, Fujishima shows the second portion of the second field plate **FP1** is electrically connected to the drain region **6** and to the second portion of the third plate **FP2** (see, *e.g.*, fig. 19).

20. Regarding claim 22, Fujishima shows the first portion of the second plate **FP1** is electrically connected to the first plate **9** (see, *e.g.*, fig. 19).

21. Regarding claim 23, Fujishima shows the first portion of the third plate **FP2** is electrically connected to the source region **3** (see, *e.g.*, fig. 19).

22. Claims 14 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fujishima/Rumennik/Van Zant/Ghandhi in view of Noda (US 6617652) and Ranjan (US 5801431).

23. Regarding claim 14, Fujishima/Rumennik/Van Zant/Ghandhi shows most aspects of the instant invention (see, e.g., paragraph 8 above). Fujishima also shows the second plate **FP1** including a first portion and a second portion, wherein a gap separates the portions (see, e.g., fig. 19). He, however, fails to specify the portions to be annular portions disposed around the drain region 6. Noda, on the other hand, teaches (see, e.g., fig. 1) that annular plates formed concentrically around the drain diffusion region of Fujishima would improve the breakdown properties of the device (see, e.g., Noda/col.14/ll.20-22). Ranjan elaborates by teaching that the series of plates in Noda reduce the tendency to concentrate high electric fields near the surface of the device thereby improving its breakdown voltage (see, e.g., Ranjan/col.5/ll.52-56).

It would have been obvious at the time of the invention to one of ordinary skill in the art to form the first and second portions of the second plate of Fujishima/Rumennik/Van Zant/Ghandhi as annular portions disposed around the drain region, as suggested by Noda and Ranjan, to improve the breakdown voltage properties of the device.

24. Regarding claim 16, Fujishima (see, e.g., fig. 19) shows the third plate including a first portion and a second portion, wherein a gap separates the portions. He, however, fails to specify the portions to be annular portions disposed around the drain region. Noda, on the other hand, teaches (see, e.g., fig. 1) that annular plates formed concentrically around the drain diffusion region of Fujishima would improve the breakdown properties of the device (see, e.g., Noda/col.14/ll.20-22). Ranjan elaborates by teaching that the series of plates in Noda reduce the tendency to concentrate high

Art Unit: 2814

electric fields near the surface of the device thereby improving its breakdown voltage (see, e.g., col.5/ll.52-56).

It would have been obvious at the time of the invention to one of ordinary skill in the art to form the first and second portions of the third plate of Fujishima/Rumennik/Van Zant/Ghandhi as annular portions disposed around the drain region, as suggested by Noda and Ranjan, to improve the breakdown voltage properties of the device.

25. Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Fujishima/Rumennik in view of Noda and Ranjan.

26. Regarding claim 27, Fujishima/Rumennik shows most aspects of the instant invention (see, e.g., paragraph 4 above), except for the plate portions being annular. Noda, on the other hand, teaches (see, e.g., fig. 1) that annular plates formed concentrically around the drain diffusion region of Fujishima would improve the breakdown properties of the device (see, e.g., Noda/col.14/ll.20-22). Ranjan elaborates by teaching that the plate portions in Noda reduce the tendency to concentrate high electric fields near the surface of the device thereby improving its breakdown voltage (see, e.g., Ranjan/col.5/ll.52-56).

It would have been obvious at the time of the invention to one of ordinary skill in the art to form the plate portions of Fujishima/Rumennik as annular portions, as suggested by Noda and Ranjan, to improve the breakdown voltage properties of the device.

Response to Arguments

27. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

28. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

29. A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

30. Papers related to this application may be submitted directly to Art Unit 2814 by facsimile transmission. Papers should be faxed to Art Unit 2814 via the Art Unit 2814 Fax Center. The faxing of such papers must conform to the notice published in the Official Gazette, 1096 OG 30 (15 November 1989). The Art Unit 2814 Fax Center number is **(571) 273-8300**. The Art Unit 2814 Fax Center is to be used only for papers related to Art Unit 2814 applications.


31. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Marcos D. Pizarro-Crespo** at **(571) 272-1716** and between the hours of 10:00 AM to 8:30 PM (Eastern Standard Time) Monday through Thursday or by e-mail via Marcos.Pizarro@uspto.gov. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael Fahmy, can be reached on (571) 272-1705.

32. Any inquiry of a general nature or relating to the status of this application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 2814

33. The following list is the Examiner's field of search for the present Office Action:

Field of Search	Date
U.S. Class / Subclass(es): 257/335-343,409,487,488,491-493,659	6/23/2006
Other Documentation:	
Electronic Database(s): EAST (USPAT, EPO, JPO)	6/23/2006



Marcos D. Pizarro-Crespo
Patent Examiner
Art Unit 2814
571-272-1716
marcos.pizarro@uspto.gov

MDP/mdp
June 23, 2006